

**Requisition form for using SEM at INST**

*(for Internal Users)*

**FL-4, Faraday Laboratory, Institute of Nano Science and Technology,  
Sector-64, Phase- 10, Mohali**

|  |                      |  |  |
|--|----------------------|--|--|
| <b>Name</b>  |                      |  |  |
| <b>Date</b>  |                      |  |  |
| <b>Designation</b>   |                      |  |  |
| <b>E-mail &amp; Telephone no.</b>                          |                      |  |  |
| <b>Number of Samples</b>                                   |                      |  |  |
| <b>Sample Details</b>                                      |                      |  |  |
| <b>Sample Type (Conducting/Non-conducting)</b>             |                      |  |  |
| <b>Coating Required (Carbon/Gold)</b>                      |                      |  |  |
| <b>EDX Required</b>  |                      |  |  |
| <b>Specify if your samples are hazardous</b>               |                      |  |  |
| <b>Authorization Data</b>                                  | <b>Name of</b>       |  | <b>Signature</b>                         |
|  | <b>Requisitioner</b> |  |  |
|  | <b>Supervisor</b>    |  |  |
|  |                      |  | <b>Signature<br/>(Faculty-in-charge)</b> |
| <b>Allotted to Dr. Sanjeev / Dr. Vinod / Dr. Madhunika</b> |                      |  |  |
| <b>Analysis carried out on:</b>                            |                      |  |  |
|  |                      | <b>Signature<br/>(Postdoc-in-charge)</b> |  |

**Note- Not more than three samples per requisition form (one form at a time will be accepted, second requisition only after completion of the previous requisition)**